PoliteMail API Entity Directory

Last Modified on 08/06/2024 11:53 am EDT

PoliteMail API Entity Directory

The API Directory is in the process of being updated; some endpoints listed may have changed or have been deprecated in version 5.0, and so you may encounter 404 or 500 errors. In the interim, please contact Customer Support is you need additional assistance.

Click here to go to an Odata conventions site that will assist you with creating URLs for API.

Entity	Description
Business	Business can be used to define a Business Unit in an organization. The Business
	entity can be populated with departments, divisions, or business units in an
	organization (e.g. Human Resources, Marketing department, Automotive division,
	Maintenance division, etc).
Campaign	Campaign is a group of similar email messages that have been sent with the
	ability to measure the cumulative results of all the emails sent over time. (e.g.
	Monthly Newsletters, Weekly sales incentives, Marketing questionnaires, etc)
	Email messages can be added to a Campaign at any time after being sent out or
	before distribution.
Category	Contacts can be organized outside of mailing lists using category. Categories are
	assigned manually to individual contacts, or when selecting or importing a list or
	group of contacts.
	The Click is tracked in PoliteMail with the Click Thru Rate(CTR) metric which is
	the total number of unique individual recipients who have clicked (at least one
Click	link), to the total recipients the email was delivered to. (e.g. how many emails
CIICK	were distributed compared to the number of recipients that opened the email).
	With PoliteMail's Click tracking, each recipient's email address is only counted
	once, no matter how many times they have clicked.
	An email address that is created by a user will automatically be entered into
Contact	PoliteMail as a Contact. A Contacts information can be added to PoliteMail
	manually, edited for content, added to a mailing list, or deleted from PoliteMail.
ContactClick	An email that is created and sent utilizing PoliteMail, will be measured for the
	time the email was opened and read, the name of the recipient, the number of
	URL link clicks a recipient makes in an email, the web Address, etc).
ContactRead	An email that is created and sent utilizing PoliteMail, will be measured for the
	time the email was opened and read, the name of the recipient, if the email is
	active, and was it shared with someone else.
Custom Field	Custom Field allows a user to further customize the custom fields in the
	PoliteMail Personalization feature (e.g. salutation, birthdate, department, etc).
	Custom Field may also be used for Personalization merge fields within the New
	PoliteMail Message editor.

Device	PoliteMail places a cookie on the recipient's device that is used to open a tracked email. For example, if the Device that was used to open a tracked email was an iPad, a cookie is placed on the iPad enabling PoliteMail to track the number of devices per recipient. In other words, the number of iPads that were used to open the email.
DeviceCount	PoliteMail places a DeviceCount cookie on the recipient's device that is used to open a tracked email. For example, PoliteMail counts the number of devices that was used to open a tracked email. (e.g. iPad, desktop, mobile device, etc) In other words, the total number of iPads, mobile devices, and desktops that were used to open the email.
Email	All PoliteMail that is distributed is measured and a record of interactions with the recipients and the Email is stored and the metadata parsed to capture the metrics for future analysis.
Event	All PoliteMail that is distributed is measured and a record of interactions (e.g. Open and Click counts) with the recipients and the Email is stored and the metadata parsed to capture the metrics for future analysis.
GroupLabel	The GroupLabel entity allows for editing of Group labels.
lmage	Image allows a user to add an Image to the PoliteMail images repository to be referenced in the email, downloaded, and displayed as an embedded image in the email. The image is hosted on the PoliteMail server which enables the PoliteMail server to process email sends faster than using the Copy/Paste routine in Outlook.
Link	Link allows a user to measure a hyper-link, or measure linked text in a PoliteMail measured email message. Measured links in an email will be saved to a Links repository in PoliteMail for future use. Links in the repository can be edited. By changing the actual URL associated with a link, it will redirect any future clicks from emails previously sent containing that measured link.
List	The List entity is a user created list containing user contacts from, an imported list, or from within the Inbox and Sent Items folders.
Location	Location is an entity used by PoliteMail to measure a recipient's geolocation. The results will be displayed in the Metrics section of PoliteMail.
Message	All PoliteMail Messages distributed are measured as groups of emails (e.g. distribution list or Templates) and a record of interactions with the recipients and the Email is stored and the metadata parsed to capture the metrics for future analysis.
Optln	PoliteMail OptIn enables a user to add subscribers and capture email addresses and contact data via an Opt-in form. These forms are accessible via a link to the account area on the PoliteMail Server, or you may put the form code on your website. Once the OptIn form is submitted, the data (e.g. name and email address) is automatically loaded into the PoliteMail mailing list.
Optout	To be CAN-SPAM compliant with any commercial email message, OptOut can add an automated opt-out compliance footer to the PoliteMail email message or template. The OptOut footer is optional when sending email via a local email server, or when PoliteMail is used for internal corporate communications.

Paragraph	Paragraph can be used to save text (e.g. a single word, a sentence, a paragraph) in an email message and can be reused in future email messages. Paragraph can
	save text, hyper-links, and images for future use. Paragraph is a repository for
	repetitive use of text, links, or images.
Read	Read is an entity if the PoliteMail Measurement feature. Read measures the open
	rate, recipient, Browser, device used, device manufacturer, along with the Time
	Read (how long a recipient has the email open to read the information).
Region	Region works in conjunction with Business to identify and group PoliteMail Users
	by location (e.g. territories, State, East Coast, West Coast, North America, South
	America, etc).
Report	The Report entity compiles and displays aggregate information from a tracked
	email in the metrics section of PoliteMail. Compiled metrics such as unique
	mobile click-through rates, Unique URLS, multiple opens, time-to-read, etc
ScheduledSend	ScheduledSend functions as a delay mechanism for email messages that will be
	sent at a specified date and time.
SentMessage	SentMessage captures the metric information on the message that was sent to
	recipients and displays the metrics in the PoliteMail -> Results ->
	Messages section.
	PoliteMail's SmartAttachment enables email attachments to be measured to
SmartAttachment	know who is opening the email messages. SmartAttachment is inserted into the
	email as a link and the file is uploaded to the Content Library.
SocialMediaClick	SocialMediaClick generates a measured link that can be used in Social Media to
	track results (e.g. Twitter, Facebook, Google+, etc).
SocialMediaLink	SocialMediaLink is a measured link that can be used in Social Media to track
	results (e.g. Twitter, Facebook, Google+, etc).
Stage	Stage is defined as an area for individual contact information in the PoliteMail
	database. Stage includes other entities as Opt-In and Opt-Out information.
	Survey is a Q&A control that allows for Surveys such as 5 star ratings, mood type,
Survey	yes or no, and multiple choice selections. The results for the Survey are found on
	the bottom of the metrics report section.
SurveyAllowedAnswer	SurveyAllowedAnswer allows the email recipient/survey respondent to view the
,	results of the survey upon submitting the vote or selection.
SurveyAnswer	SurveyAnswer results will be found on the bottom of the metrics reports page.
	Multiple survey answers will appear on the same metrics page.
	SurveyQuestion is a preformatted entity that can be inserted into an email
	message to solicit a response to a question from a recipient (e.g. Yes or No, Like
SurveyQuestion	or Dislike, Select 1-2 or 3, etc). Results will be found on the bottom of the
	metrics reports page. Multiple survey answers will appear on the same metrics
	page.
Template	Template entity provides users the capability to design professional looking
	templates that can be used and modified for totally customizable email
	messages. The templates are saved and can be reused in other mailings.
	TemplateTheme allows the customer to use their brand themes with PoliteMail
TemplateTheme	templates and fully customize the look and feel of the template with color pallets,
	font selection, header and footer selection, body style, and much more.

User	User is the information about the User that is used in PoliteMail for sending email
	and Metric information. PoliteMail also defines the User a Role in the system and
	level of access and sharing the user has within the system. There are three User
	types: Administrator, Manager, and User.
UserProfile	UserProfile is the profile information about the User that is used in PoliteMail for
	sending tracked email and Metric information. PoliteMail also defines the User a
	Role in the system and level of access and sharing the user has within the system
	(e.g. Last Login, UserType, Business unit, etc). There are three User types:
	Administration, Manager, and User.
UserType	UserType is the profile information about the User that is used in PoliteMail for
	sending measured email and Metric information.

