

API / Read

Last Modified on 08/02/2022 12:57 pm EDT

Entity Description:

Read is an entity if the PoliteMail Tracking feature. Read tracks the open rate, recipient, Browser, device used, device manufacturer, along with the Time Read (how long a recipient has the email open to Read the information).

Properties

Name	Description	Type	Additional Information
ID		Int32	
RefID		Int32	
OwnerID		Int32	
IPAddress		String	
UserAgent		String	
Browser		String	
Version		String	
IsMobile		Boolean	
MobileDeviceManufacturer		String	
MobileDeviceModel		String	
Latitude		Decimal	
Longitude		Decimal	
BrowserLanguage		String	
FullUserAgent		String	
Referrer		String	
Email		String	
TimeRead		Decimal	
ReadDate		DateTime	

Entity Statement

Creating a Read

Request

POST /ssv3/odata/Reads

Content-Type

application/json

Request body

```
{  
  "ID": "0", "RefID": "0", "OwnerID": "0", "IPAddress": "0.0.0.0", "UserAgent": "Example  
User Agent", "Browser": "Example Browser", "Version": "Example  
Version", "IsMobile": true, "MobileDeviceManufacturer": "Example  
Manufacturer", "MobileDeviceModel": "Example  
Model", "Latitude": "0.00000", "Longitude": "0.00000", "BrowserLanguage": "Example  
Language", "FullUserAgent": "Example Full User Agent", "Referrer": "Example  
Referrer", "Email": "Example Email", "TimeRead": "0.00000",  
  "ReadDate": "2014-12-12T04:40:20.155Z"  
}
```

Response body

```
{
  "ID":1,"RefID":0,"OwnerID":0,"IPAddress":"0.0.0.0","UserAgent":"Example User
  Agent","Browser":"Example Browser","Version":"Example
  Version","IsMobile":true,"MobileDeviceManufacturer":"Example
  Manufacturer","MobileDeviceModel":"Example
  Model","Latitude":0.00000,"Longitude":0.00000,"BrowserLanguage":"Example
  Language","FullUserAgent":"Example Full User Agent","Referrer":"Example
  Referrer","Email":"Example Email","TimeRead":0.00000,
  "ReadDate":"2014-12-12T04:40:20.155Z"
}
```

Deleting a Read

Request

```
DELETE /ssv3/odata/Reads(1)
```

Response Headers

```
HTTP/1.1 204 No Content
```

Getting a Read

Request

```
GET /ssv3/odata/Reads(1)
```

Content-Type

```
application/json
```

Response body

```
{
  "ID":1,"RefID":0,"OwnerID":0,"IPAddress":"0.0.0.0","UserAgent":"Example User
  Agent","Browser":"Example Browser","Version":"Example
  Version","IsMobile":true,"MobileDeviceManufacturer":"Example
  Manufacturer","MobileDeviceModel":"Example
  Model","Latitude":0.00000,"Longitude":0.00000,"BrowserLanguage":"Example
  Language","FullUserAgent":"Example Full User Agent","Referrer":"Example
  Referrer","Email":"Example Email","TimeRead":0.00000,"
  ReadDate":"2014-12-12T04:40:20.155Z"
}
```

Updating a Read

Request

```
PUT /ssv3/odata/Reads(1)
```

Content-Type

```
application/json
```

Request body

```
{
  "ID":"0","RefID":"0","OwnerID":"0","IPAddress":"0.0.0.0","UserAgent":"Example
  User Agent","Browser":"Example Browser","Version":"Example
  Version","IsMobile":true,"MobileDeviceManufacturer":"Example
  Manufacturer","MobileDeviceModel":"Example
  Model","Latitude":"0.00000","Longitude":"0.00000","BrowserLanguage":"Example
  Language","FullUserAgent":"Example Full User Agent","Referrer":"Example
  Referrer","Email":"Example Email","TimeRead":"0.00000",
  "ReadDate":"2014-12-12T04:40:20.155Z"
}
```

Response Headers

```
HTTP/1.1 204 No Content
```

Getting all Reads

Request

GET /ssv3/odata/Reads

Content-Type

application/json

Response body

```
"value":[{"ID":0,"RefID":0,"OwnerID":0,"IPAddress":0.0.0.0,"UserAgent":"Example User Agent","Browser":"Example Browser","Version":"Example Version","IsMobile":true,"MobileDeviceManufacturer":"Example Manufacturer","MobileDeviceModel":"Example Model","Latitude":0.00000,"Longitude":0.00000,"BrowserLanguage":"Example Language","FullUserAgent":"Example Full User Agent","Referrer":"Example Referrer","Email":"Example Email","TimeRead":0.00000,"ReadDate":"2014-12-12T04:40:20.155Z"},{"ID":1,"RefID":0,"OwnerID":0,"IPAddress":"0.0.0.0","UserAgent":"Example User Agent","Browser":"Example Browser","Version":"Example Version","IsMobile":true,"MobileDeviceManufacturer":"Example Manufacturer","MobileDeviceModel":"Example Model","Latitude":0.00000,"Longitude":0.00000,"BrowserLanguage":"Example Language","FullUserAgent":"Example Full User Agent","Referrer":"Example Referrer","Email":"Example Email","TimeRead":0.00000,"ReadDate":"2014-12-12T04:40:20.155Z"}]
```
