

API / OptOut

Last Modified on 11/14/2022 10:48 am EST

Entity Description:

To be CAN-SPAM compliant with any commercial email message, OptOut can add an automated opt-out compliance footer to the PoliteMail email message or template. The OptOut footer is optional when sending email via a local email server, or when PoliteMail is used for internal corporate communications.

Properties

Name	Description	Type	Additional Information
ID		Int32	
RefID		Int32	
OwnerID		Int32	
DeviceID		Int32	
IPAddress		String	
UserAgent		String	
Browser		String	
Version		String	
IsMobile		Boolean	
MobileDeviceManufacturer		String	
MobileDeviceModel		String	
Latitude		Decimal	
Longitude		Decimal	
BrowserLanguage		String	
FullUserAgent		String	
Referrer		String	
OptOutDate		DateTime	

Entity Statement

if you are using versions **earlier than 5.0**, substitute "ssv3" for "api" for each Request listed below.

Creating an OptOut

Request

POST /api/odata/OptOuts

Content-Type

application/json

Request body

```
{
  "ID": "0", "RefID": "0", "OwnerID": "0", "DeviceID": "0", "IPAddress":
  "0.0.0.0", "UserAgent": "Example User Agent", "Browser": "Example Browser",
  "Version": "Example Version", "IsMobile": true, "MobileDeviceManufacturer":
  "Example Manufacturer", "MobileDeviceModel": "Example
  Model", "Latitude": "0.00000", "Longitude": "0.00000", "BrowserLanguage":
  "Example Language", "FullUserAgent": "Example Full User Agent", "Referrer":
  "Example Referrer", "OptOutDate": "2014-11-19T17:48:26.155Z"
}
```

Response body

```
{
  "ID": 1, "RefID": 0, "OwnerID": 0, "DeviceID": 0, "IPAddress": 0.0.0.0, "UserAgent":
  "Example User Agent", "Browser": "Example Browser", "Version": "Example
  Version", "IsMobile": true, "MobileDeviceManufacturer": "Example
  Manufacturer", "MobileDeviceModel": "Example
  Model", "Latitude": 0.00000, "Longitude": 0.00000, "BrowserLanguage": "Example
  Language", "FullUserAgent": "Example Full User Agent", "Referrer": "Example
  Referrer", "OptOutDate": "2014-11-20T01:14:23.112Z"
}
```

Deleting an OptOut

Request

DELETE /api/odata/OptOuts(1)

Response Headers

HTTP/1.1 204 No Content

Getting an OptOut

Request

GET /api/odata/OptOuts(1)

Content-Type

application/json

Response body

```
{
  "ID": 1, "RefID": 0, "OwnerID": 0, "DeviceID": 0, "IPAddress": 0.0.0.0, "UserAgent":
  "Example User Agent", "Browser": "Example Browser", "Version": "Example
  Version", "IsMobile": true, "MobileDeviceManufacturer": "Example
  Manufacturer", "MobileDeviceModel": "Example
  Model", "Latitude": 0.00000, "Longitude": 0.00000, "BrowserLanguage": "Example
  Language", "FullUserAgent": "Example Full User Agent", "Referrer": "Example
  Referrer", "OptOutDate": "2014-11-20T01:14:23.112Z"
}
```

Updating an OptOut

Request

PUT /api/odata/OptOuts(1)

Content-Type

application/json

Request body

```
{
  "ID": "0", "RefID": "0", "OwnerID": "0", "DeviceID": "0", "IPAddress": "0.0.0.0",
  "UserAgent": "Example User Agent", "Browser": "Example Browser", "Version":
  "Example Version", "IsMobile": true, "MobileDeviceManufacturer": "Example
  Manufacturer", "MobileDeviceModel": "Example
  Model", "Latitude": "0.00000", "Longitude": "0.00000", "BrowserLanguage":
  "Example Language", "FullUserAgent": "Example Full User Agent", "Referrer":
  "Example Referrer", "OptOutDate": "2014-11-19T17:48:26.155Z"
}
```

Response Headers

HTTP/1.1 204 No Content

Getting all OptOuts

Request

GET /api/odata/Lists

Content-Type

application/json

Response body

```
"value": [{
  "ID": "0", "RefID": "0", "OwnerID": "0", "DeviceID": "0", "IPAddress": "0.0.0.0", "UserAgent":
  "Example User Agent", "Browser": "Example Browser", "Version": "Example
  Version", "IsMobile": true, "MobileDeviceManufacturer": "Example
  Manufacturer", "MobileDeviceModel": "Example
  Model", "Latitude": "0.00000", "Longitude": "0.00000", "BrowserLanguage": "Example
  Language", "FullUserAgent": "Example Full User Agent", "Referrer": "Example
  Referrer", "OptOutDate": "2014-11-19T17:48:26.155Z"
}, {
  "ID": "1", "RefID": "0", "OwnerID": "0", "DeviceID": "0", "IPAddress": "0.0.0.0", "UserAgent":
  "Example User Agent", "Browser": "Example Browser", "Version": "Example
  Version", "IsMobile": true, "MobileDeviceManufacturer": "Example
  Manufacturer", "MobileDeviceModel": "Example
  Model", "Latitude": "0.00000", "Longitude": "0.00000", "BrowserLanguage": "Example
  Language", "FullUserAgent": "Example Full User Agent", "Referrer": "Example
  Referrer", "OptOutDate": "2014-11-20T01:14:23.112Z"
}]
```