

API / Link

Last Modified on 11/14/2022 10:40 am EST

Entity Description:

Link allows a user to track a hyper-link or track linked text in a PoliteMail tracked email message. Tracked links in an email will be saved to a Links repository in PoliteMail for future use. Links in the repository can be edited. By changing the actual URL associated with a link, it will redirect any future clicks from emails previously sent containing that tracked link.

Properties

Name	Description	Type	Additional Information
ID		Int32	
ActiveState		Int16	
Name		String	
Description		String	
Url		String	
OwnerID		Int32	
GUID		String	
Shared		Boolean	
CreationDate		DateTime	
BusinessID		Int32	
RegionID		Int32	

Entity Statement

if you are using versions **earlier than 5.0**, substitute "ssv3" for "api" for each Request listed below.

Creating a Link

Request

POST /api/odata/Links

Content-Type

application/json

Request body

```
{
  "ID": "0", "ActiveState": "1", "Name": "New Link", "Description":
  "Example Description", "Url": "Example
  URL", "OwnerID": "0", "GUID": "0", "Shared": false, "CreationDate": "2014-11-
  19T11:23:24.165Z", "BusinessID": "0", "RegionID": "0"
}
```

Response body

```
{
  "ID":1,"ActiveState":1,"Name":"New Link","Description":
  "Example Description","Url":"Example
  URL","OwnerID":0,"GUID":"0","Shared":false,"CreationDate":"2014-11-
  19T13:23:24.165Z","BusinessID":0,"RegionID":0
}
```

Deleting a Link

Request

```
DELETE /api/odata/Links(1)
```

Response Headers

```
HTTP/1.1 204 No Content
```

Getting a Link

Request

```
GET /api/odata/Links(1)
```

Content-Type

```
application/json
```

Response body

```
{
  "ID":1,"ActiveState":1,"Name":"New Link","Description":
  "Example Description","Url":"Example
  URL","OwnerID":0,"GUID":"0","Shared":false,"CreationDate":"2014-11-
  19T13:23:24.165Z","BusinessID":0,"RegionID":0
}
```

Updating a Link

Request

```
PUT /api/odata/Links(1)
```

Content-Type

```
application/json
```

Request body

```
{
  "ID":"0","ActiveState":"1","Name":"New Link","Description":
  "Example Description","Url":"Example
  URL","OwnerID":"0","GUID":"0","Shared":false,"CreationDate":"2014-11-
  19T11:23:24.165Z","BusinessID":"0","RegionID":"0"
}
```

Response Headers

```
HTTP/1.1 204 No Content
```

Getting all Links

Request

```
GET /api/odata/Links
```

Content-Type

```
application/json
```

Response body

```
"value":[{
  "ID":0,"ActiveState":1,"Name":"New Link","Description":
  "Example Description","Url":"Example
  URL","OwnerID":0,"GUID":"0","Shared":false,"CreationDate":"2014-11-
  19T11:23:24.165Z","BusinessID":0,"RegionID":0
},{
  "ID":1,"ActiveState":1,"Name":"New Link","Description":"Example
  Description","Url":"Example
  URL","OwnerID":0,"GUID":"0","Shared":false,"CreationDate":"2014-11-
  19T13:23:24.165Z","BusinessID":0,"RegionID":0
}]
```

PoliteMail