

API / SmartAttachment

Last Modified on 10/20/2025 10:54 am EDT

Entity Description:

PoliteMail's SmartAttachment enables email attachments to be tracked to know who is opening the email messages. SmartAttachment is inserted into the email as a link and the file is uploaded to the Content Library.

Properties

Name	Description	Type	Additional Information
ID		Int32	
ActiveState		Int16	
Name		String	
Description		String	
URL		String	
OwnerID		Int32	
GUID		String	
Shared		Boolean	
CreationDate		DateTime	
Data		Binary	
ContentType		String	
BusinessID		Int32	
RegionID		Int32	

Entity Statement



if you are using versions earlier than 5.0, substitute "ssv3" for "api" for each Request listed below.

Creating a SmartAttachment

Request

POST /api/odata/SmartAttachments

Content-Type

application/json

Request body

```
{
  "ID": "0", "ActiveState": "1", "Name": "New Attachment",
  "Description": "", "URL": "Example RL", "OwnerID": "0", "GUID":
  "0", "Shared": false, "CreationDate": "2014-12-10T17:48:26.155Z",
  "Data": "0", "ContentType": "Example Content Type", "BusinessID":
  "0", "RegionID": "0"
}
```

Response body

```
{
  "ID":1,"ActiveState":1,"Name":"New Attachment","Description":
  "", "URL":"Example URL ", "OwnerID":"0", "GUID":"0", "Shared":false,
  "CreationDate":"2014-12-10T18:08:11.125Z", "Data":0, "ContentType":
  "Example Content Type", "BusinessID":0, "RegionID":0
}
```

Deleting a SmartAttachment

Request

DELETE /api/odata/SmartAttachments(1)

Response Headers

HTTP/1.1 204 No Content

Getting a SmartAttachment

Request

GET /api/odata/SmartAttachments(1)

Content-Type

application/json

Response body

```
{
  "ID":1,"ActiveState":1,"Name":"New Attachment","Description":
  "", "URL":"Example URL ", "OwnerID":"0", "GUID":"0", "Shared":false,
  "CreationDate":"2014-12-10T18:08:11.125Z", "Data":0, "ContentType":
  "Example Content Type", "BusinessID":0, "RegionID":0
}
```

Updating a SmartAttachment

Request

PUT /api/odata/SmartAttachments(1)

Content-Type

application/json

Request body

```
{
  "ID":"0", "ActiveState":"1", "Name":"New Attachment", "Description":
  "", "URL":"Example URL ", "OwnerID":"0", "GUID":"0", "Shared":false,
  "CreationDate":"2014-12-10T17:48:26.155Z", "Data":"0",
  "ContentType":"Example Content Type", "BusinessID":"0", "RegionID":"0"
}
```

Response Headers

HTTP/1.1 204 No Content

Getting all SmartAttachments

Request

GET /api/odata/SmartAttachments

Content-Type

application/json

Response body

```
"value":[{
  "ID":0,"ActiveState":1,"Name":"New Attachment","Description":
  "", "URL":"Example URL", "OwnerID":0, "GUID":"0", "Shared":false,
  "CreationDate":"2014-12-10T17:48:26.155Z", "Data":0, "ContentType":
  "Example Content Type", "BusinessID":0, "RegionID":0
},{
  "ID":1,"ActiveState":1,"Name":"New Attachment","Description":
  "", "URL":"Example URL", "OwnerID":0, "GUID":"0", "Shared":false,
  "CreationDate":"2014-12-10T18:08:11.125Z", "Data":0, "ContentType":
  "Example Content Type", "BusinessID":0, "RegionID":0
}]
```