

API / ScheduledSend

Last Modified on 10/20/2025 10:54 am EDT

Entity Description:

ScheduledSend functions as a delay mechanism for email messages that will be sent at a specified date and time.

Properties

Name	Description	Type	Additional Information
ID		Int32	
OwnerID		Int32	
SendDate		DateTime	
HtmlBody		String	
TextBody		String	
Subject		String	
FromName		String	
FromEmail		String	
CampaignID		Int32	
PersonalizedFields		String	
ReplyToName		String	
ReplyToEmail		String	
Enabled		Boolean	
SendAnonymous		Boolean	
SendAggregate		Boolean	
RecipientCount		Int32	
BusinessID		Int32	
RegionID		Int32	

Entity Statement

Creating a ScheduledSend

Request

POST /ssv3/odata/ScheduledSends

Content-Type

application/json

Request body

```
{
  "ID": "0", "OwnerID": "0", "SendDate": "2014-11-19T17:48:26.155Z",
  "HtmlBody": "Example HTML Body", "TextBody": "Example Text Body",
  "Subject": "Example Subject", "FromName": "Example
Name", "FromEmail":
"Example
Email", "CampaignID": "0", "PersonalizedFields": "", "ReplyToName":
"Example Name", "ReplyToEmail": "Example Email", "Enabled": false,
"SendAnonymous": false, "SendAggregate": false, "RecipientCount": "0",
"BusinessID": "0", "RegionID": "0"
}
```

Response body

```
{
  "ID": 1, "OwnerID": "0", "SendDate": "2014-11-20T11:48:26.155Z",
  "HtmlBody": "Example HTML Body", "TextBody": "Example Text Body",
  "Subject": "Example Subject", "FromName": "Example
Name", "FromEmail":
"Example
Email", "CampaignID": 0, "PersonalizedFields": "", "ReplyToName":
"Example Name", "ReplyToEmail": "Example Email", "Enabled": false,
"SendAnonymous": false, "SendAggregate": false, "RecipientCount": 0,
"BusinessID": 0, "RegionID": 0
}
```

Deleting a ScheduledSend

Request

DELETE /ssv3/odata/ScheduledSends(1)

Response Headers

HTTP/1.1 204 No Content

Getting a ScheduledSend

Request

GET /ssv3/odata/ScheduledSends(1)

Content-Type

application/json

Response body

```
{
  "ID": 1, "OwnerID": "0", "SendDate": "2014-11-20T11:48:26.155Z",
  "HtmlBody": "Example HTML Body", "TextBody": "Example Text Body",
  "Subject": "Example Subject", "FromName": "Example
Name", "FromEmail":
"Example
Email", "CampaignID": 0, "PersonalizedFields": "", "ReplyToName":
"Example Name", "ReplyToEmail": "Example Email", "Enabled": false,
"SendAnonymous": false, "SendAggregate": false, "RecipientCount": 0,
"BusinessID": 0, "RegionID": 0
}
```

Updating a ScheduledSend

Request

PUT /ssv3/odata/ScheduledSends(1)

Content-Type

application/json

Request body

```
{
  "ID": "0", "OwnerID": "0", "SendDate": "2014-11-19T17:48:26.155Z",
  "HtmlBody": "Example HTML Body", "TextBody": "Example Text Body",
  "Subject": "Example Subject", "FromName": "Example Name",
  "FromEmail": "Example Email", "CampaignID": "0", "PersonalizedFields":
  "", "ReplyToName": "Example Name", "ReplyToEmail": "Example Email",
  "Enabled": false, "SendAnonymous": false, "SendAggregate": false,
  "RecipientCount": "0", "BusinessID": "0", "RegionID": "0"
}
```

Response Headers

HTTP/1.1 204 No Content

Getting all Lists

Request

GET /ssv3/odata/ScheduledSends

Content-Type

application/json

Response body

```
"value": [{
  "ID": 0, "OwnerID": 0, "SendDate": "2014-11-19T17:48:26.155Z", "HtmlBody":
  "Example HTML Body", "TextBody": "Example Text Body", "Subject": "Example Subject", "FromName": "Example Name", "FromEmail": "Example Email", "CampaignID": 0, "PersonalizedFields": "", "ReplyToName": "Example Name", "ReplyToEmail": "Example Email", "Enabled": false, "SendAnonymous": false, "SendAggregate": false, "RecipientCount": 0, "BusinessID": 0, "RegionID": 0
}, {
  "ID": 1, "OwnerID": "0", "SendDate": "2014-11-20T11:48:26.155Z", "HtmlBody":
  "Example HTML Body", "TextBody": "Example Text Body", "Subject": "Example Subject", "FromName": "Example Name", "FromEmail": "Example Email", "CampaignID": 0, "PersonalizedFields": "", "ReplyToName": "Example Name", "ReplyToEmail": "Example Email", "Enabled": false, "SendAnonymous": false, "SendAggregate": false, "RecipientCount": 0, "BusinessID": 0, "RegionID": 0
}]
```