

API / Read

Last Modified on 10/20/2025 10:54 am EDT

Entity Description:

Read is an entity if the PoliteMail Tracking feature. Read tracks the open rate, recipient, Browser, device used, device manufacturer, along with the Time Read (how long a recipient has the email open to Read the information).

Properties

Name	Description	Type	Additional Information
ID		Int32	
RefID		Int32	
OwnerID		Int32	
IPAddress		String	
UserAgent		String	
Browser		String	
Version		String	
IsMobile		Boolean	
MobileDeviceManufacturer		String	
MobileDeviceModel		String	
Latitude		Decimal	
Longitude		Decimal	
BrowserLanguage		String	
FullUserAgent		String	
Referrer		String	
Email		String	
TimeRead		Decimal	
ReadDate		DateTime	

Entity Statement

Creating a Read

Request

POST /ssv3/odata/Reads

Content-Type

application/json

Request body

```
{
  "ID": "0", "RefID": "0", "OwnerID": "0", "IPAddress": "0.0.0.0", "UserAgent": "Example
  User Agent", "Browser": "Example Browser", "Version": "Example
  Version", "IsMobile": true, "MobileDeviceManufacturer": "Example
  Manufacturer", "MobileDeviceModel": "Example
  Model", "Latitude": "0.00000", "Longitude": "0.00000", "BrowserLanguage": "Example
  Language", "FullUserAgent": "Example Full User Agent", "Referrer": "Example
  Referrer", "Email": "Example Email", "TimeRead": "0.00000",
  "ReadDate": "2014-12-12T04:40:20.155Z"
}
```

Response body

```
{
  "ID": 1, "RefID": 0, "OwnerID": 0, "IPAddress": "0.0.0.0", "UserAgent": "Example User
  Agent", "Browser": "Example Browser", "Version": "Example
  Version", "IsMobile": true, "MobileDeviceManufacturer": "Example
  Manufacturer", "MobileDeviceModel": "Example
  Model", "Latitude": 0.00000, "Longitude": 0.00000, "BrowserLanguage": "Example
  Language", "FullUserAgent": "Example Full User Agent", "Referrer": "Example
  Referrer", "Email": "Example Email", "TimeRead": 0.00000,
  "ReadDate": "2014-12-12T04:40:20.155Z"
}
```

Deleting a Read

Request

DELETE /ssv3/odata/Reads(1)

Response Headers

HTTP/1.1 204 No Content

Getting a Read

Request

GET /ssv3/odata/Reads(1)

Content-Type

application/json

Response body

```
{
  "ID": 1, "RefID": 0, "OwnerID": 0, "IPAddress": "0.0.0.0", "UserAgent": "Example User
  Agent", "Browser": "Example Browser", "Version": "Example
  Version", "IsMobile": true, "MobileDeviceManufacturer": "Example
  Manufacturer", "MobileDeviceModel": "Example
  Model", "Latitude": 0.00000, "Longitude": 0.00000, "BrowserLanguage": "Example
  Language", "FullUserAgent": "Example Full User Agent", "Referrer": "Example
  Referrer", "Email": "Example Email", "TimeRead": 0.00000,
  "ReadDate": "2014-12-12T04:40:20.155Z"
}
```

Updating a Read

Request

PUT /ssv3/odata/Reads(1)

Content-Type

application/json

Request body

```
{
  "ID": "0", "RefID": "0", "OwnerID": "0", "IPAddress": "0.0.0.0", "UserAgent": "Example
  User Agent", "Browser": "Example Browser", "Version": "Example
  Version", "IsMobile": true, "MobileDeviceManufacturer": "Example
  Manufacturer", "MobileDeviceModel": "Example
  Model", "Latitude": "0.00000", "Longitude": "0.00000", "BrowserLanguage": "Example
  Language", "FullUserAgent": "Example Full User Agent", "Referrer": "Example
  Referrer", "Email": "Example Email", "TimeRead": "0.00000",
  "ReadDate": "2014-12-12T04:40:20.155Z"
}
```

Response Headers

HTTP/1.1 204 No Content

Getting all Reads

Request

GET /ssv3/odata/Reads

Content-Type

application/json

Response body

```
"value": [{
  "ID": 0, "RefID": 0, "OwnerID": 0, "IPAddress": "0.0.0.0", "UserAgent": "Example User
  Agent", "Browser": "Example Browser", "Version": "Example
  Version", "IsMobile": true, "MobileDeviceManufacturer": "Example
  Manufacturer", "MobileDeviceModel": "Example
  Model", "Latitude": "0.00000", "Longitude": "0.00000", "BrowserLanguage": "Example
  Language", "FullUserAgent": "Example Full User Agent", "Referrer": "Example
  Referrer", "Email": "Example Email", "TimeRead": 0.00000,
  "ReadDate": "2014-12-12T04:40:20.155Z"
}, {
  "ID": 1, "RefID": 0, "OwnerID": 0, "IPAddress": "0.0.0.0", "UserAgent": "Example User
  Agent", "Browser": "Example Browser", "Version": "Example
  Version", "IsMobile": true, "MobileDeviceManufacturer": "Example
  Manufacturer", "MobileDeviceModel": "Example
  Model", "Latitude": 0.00000, "Longitude": 0.00000, "BrowserLanguage": "Example
  Language", "FullUserAgent": "Example Full User Agent", "Referrer": "Example
  Referrer", "Email": "Example Email", "TimeRead": 0.00000,
  "ReadDate": "2014-12-12T04:40:20.155Z"
}]
```