

API / Paragraph

Last Modified on 10/20/2025 10:54 am EDT

Entity Description:

Paragraph can be used to save text (e.g. a single word, a sentence, a paragraph) in an email message and can be reused in future email messages. Paragraph can save text, hyper-links, and images for future use. Paragraph is a repository for repetitive use of text, links, or images.

Properties

Name	Description	Type	Additional Information
ID		Int32	
ActiveState		Int16	
Name		String	
Description		String	
OwnerID		Int32	
Body		String	
BodyBinary		Binary	
Icon		Bitmap	
LastUsed		DateTime	
CreationDate		DateTime	
Subject		String	
Shared		Boolean	
BusinessID		Int32	
RegionID		Int32	

Entity Statement



if you are using versions earlier than 5.0, substitute "ssv3" for "api" for each Request listed below.

Creating a Paragraph

Request

POST /api/odata/Paragraphs

Content-Type

application/json

Request body

```
{
  "ID": "0", "ActiveState": "0", "Name": "New Paragraph", "Description":
  "Example Description", "OwnerID": "0", "Body": "Example Body",
  "BodyBinary": "0", "Icon": "Example Icon", "LastUsed": "2014-11-
  20T01:14:23.112Z", "CreationDate": "2014-10-10T12:04:02.155Z",
  "Subject": "Example Subject", "Shared": false, "BusinessID": "0", "RegionID": "0"
}
```

Response body

```
{
  "ID": 1, "ActiveState": 0, "Name": "New Paragraph", "Description": "Example
  Description", "OwnerID": 0, "Body": "Example
  Body", "BodyBinary": 0, "Icon": "Example Icon", "LastUsed": "2014-11-
  20T01:14:23.112Z", "CreationDate": "2014-10-
  10T12:04:02.155Z", "Subject": "Example
  Subject", "Shared": false, "BusinessID": 0, "RegionID": 0
}
```

Deleting a Paragraph

Request

DELETE /api/odata/Paragraphs(1)

Response Headers

HTTP/1.1 204 No Content

Getting a Paragraph

Request

GET /api/odata/Paragraphs(1)

Content-Type

application/json

Response body

```
{
  "ID": 1, "ActiveState": 0, "Name": "New Paragraph", "Description": "Example
  Description", "OwnerID": 0, "Body": "Example
  Body", "BodyBinary": 0, "Icon": "Example Icon", "LastUsed": "2014-11-
  20T01:14:23.112Z", "CreationDate": "2014-10-
  10T12:04:02.155Z", "Subject": "Example
  Subject", "Shared": false, "BusinessID": 0, "RegionID": 0
}
```

Updating a Paragraph

Request

PUT /api/odata/Paragraphs(1)

Content-Type

application/json

Request body

```
{
  "ID":0,"ActiveState":0,"Name":"New Paragraph","Description":"Example
Description","OwnerID":0,"Body":"Example
Body","BodyBinary":0,"Icon":"Example Icon","LastUsed":"2014-11-
20T01:14:23.112Z","CreationDate":"2014-10-
10T12:04:02.155Z","Subject":"Example
Subject","Shared":false,"BusinessID":0,"RegionID":0
}
```

Response Headers

HTTP/1.1 204 No Content

Getting all Paragraphs

Request

GET /api/odata/Lists

Content-Type

application/json

Response body

```
"value":[{"
  "ID":0,"ActiveState":0,"Name":"New Paragraph","Description":"Example
Description","OwnerID":0,"Body":"Example
Body","BodyBinary":0,"Icon":"Example Icon","LastUsed":"2014-11-
20T01:14:23.112Z","CreationDate":"2014-10-
10T12:04:02.155Z","Subject":"Example
Subject","Shared":false,"BusinessID":0,"RegionID":0
},{
  "ID":1,"ActiveState":0,"Name":"New Paragraph","Description":"Example
Description","OwnerID":0,"Body":"Example
Body","BodyBinary":0,"Icon":"Example Icon","LastUsed":"2014-11-
20T01:14:23.112Z","CreationDate":"2014-10-
10T12:04:02.155Z","Subject":"Example
Subject","Shared":false,"BusinessID":0,"RegionID":0
}]
```